REFERENCES:

1. G. D. Christen, Analytical Chemistry, 6th Edition, John Wiley and Sons, 2003, 131-132.
2. B. K. Sharma, Instrumental Method of Chemical Analysis, 21st edition, Goel Publishing House, Meerut, (2002), 6.
3. H. H. Willard, L. L. Merritt Jr., J. A. Dean, F. A. Settle Jr. Instrumental Methods of Analysis, 7th Edition, CBS Publishers and Distributors, New Delhi, 1986, 2-5
4. S. M. Khopkar, Analytical Chemistry Problems and Solutions, New age International Publication, 2002, 1-27.
5. A. V. Kasture, S. G. Wadodkar, K. R. Mahadik, Pharmaceutical Analysis, volume II, Nirali Prakashan, 2001, 1,9,64,67.
6. A. H. Beckett, J. B. Stenlake, Practical Pharmaceutical Chemistry, 4th edition, Part-2, CBS Publishers and Distributors, New Dlhi, (1-7) 1997.
7. G. R. Chatwal, S. Anand, Instrumental Methods of Chemistry Analysis, 1st edition, Himalaya Publishing House, 2002, 585.
8. D. A. Skoog, F. J. Holler, T. A. Nieman, Principles of Instrumental Analysus. 5th Edition, Eastern Press, Banglore, 2004, p. 1, 2, 3, 674, 695.
9. R. Synder, Practical HPLC method development 2nd edition, Wiley Interscience Publication, 1997, 120, 234-240, 266-278, 688.
10. P. D. Sethi, HPLC quantitative analysis of Pharmaceutical formulation, 1st edition, CBS publication, 2001, 3-21, 38, 359-360.
11. Reich Eike and Anne Schibli, High Performance thin Layer Chromatography for the Medical Plants, 1st edition, Thieme Publications, Muttenz, Switzerland. Pp 22-66.
12. ICH, Q2A, Harmonised Tripartite Guideline, Text On Validation Of Analytical Procedures, IFPMA, in Proceedings of the International Conference on Harmonization, Geneva, March 1994.

13. ICH, Q2A, Harmonised Tripartite Guideline, Validation Of Analytical Procedure: Methodology, IFPMA, in Proceedings of the International Conference on Harmonization, Geneva, March 1996.

14. Lakshmana Rao and MS. Raghu Ram, validation reverse phase hplc method for determination of raltegravir in pharmaceutical preparations, International Journal of Research in Pharmacy and Chemistry, 2(1). 217-221.

15. P Rama Devi, K Mukkanti, Srinivasarao Katari, estimation of etravirine by uv-spectroscopic method in tablet dosage forms and its in vitro dissolution assessment, International Journal of Pharmaceutical Research and Development, (4)03; 287-295.

16. Mahmood Ahmad et al, 2011, A fast and simple HPLC- UV method for simultaneous determination of three anti-diabetic agents in plasma of breast diabetic patients and its application to clinical pharmacokinetics, African Journal of Pharmacy and Pharmacology VOL. 5(7) 915-922.

17. F. Mistiran et al., 2010, HPLC Method Development and Validation for simultaneous detection of Arabinoside-C and Doxorubicin, Toxocology Mechanisms and Methods, Vol. 20 (8), 472-481.

18. K. Ravi Kumar et al., 2010. RP- HPLC Method development and validation for estimation of Capecitabine in capsules, International Journal of ChenTech Research, Vol.2 (1) 307-311.

19. A. Malakar, et al, 2012, Development And Validation of RP-HPLC Method For Estimation of Vildagliptin From Tablet Dosage Form. International Journal of Pharmaceutical and Life Sciences, Vol.1(1), 1-8.

20. P. Aleti, et al., 2011, Development of RP-HPLC Method For the Analysis of Imatinib Mesylate Using PDA Detector And Its Application in The Evaluation of Marketed Preparation. International Journal of Pharmacy and Biological Sciences Vol 1 (2) 14-18.

21. A. García, et al., 2012, Development of chromatographic methods for the determination of genotoxic impurities in cloperastine fendizoate. Journal of Pharmaceutical and Biomedical Analysis. 61, 230–36.

22. A. Bartolincic, et al., 2005, Development and validation of HPLC methods for the enantioselective analysis of bambuterol and albuterol. Journal of Pharmaceutical and Biomedical Analysis. Vol.36, 1003–1010.

23. N. Kapoor, et al, 2006, Simultaneous determination of lamivudine, stavudine and nevirapine in antiretroviral fixed dose combinations by high performance liquid chromatography. Analytica Chimica Acta Vol. 570, 41–45.

24. J.Sunil, et al., 2010, HPLC method development and validation for simultaneous estimation of Artemether and lumefantrine in pharmaceutical dosage forms. International Journal of Pharmacy and Pharmaceutical Sciences. Vol. 2 (4), 93-96.

25. B Nasir, et al., 2012, New HPLC method for the determination of artemether in injections. Scientific Research and Essays Vol. 7(10), 1165-1168.

26. N Appala Raju**,** et al, 2008.Simultaneous RP-HPLC Method for the Estimation of the Emtricitabine, Tenofovir Disoproxil Fumerate and Efavirenz in Tablet Dosage Forms. Research J. Pharm. and Tech. Vol 1(4), 522- 525.

27. PT Nagaraju, et al., 2011, Development and Validation of Spectrophotometric Method for Estimation of Emtricitabine in Tablet Dosage Form. International Journal of ChemTech Research. Vol.3 (1), 23-28.

28. M. Alagar Raja, et al., 2012, RP-HPLC Method Estimation And Its Validation Of Abacavir Sulfate In Tablet Formulation In Bulk And Pharmaceutical Formulations. International Journal of Biological & Pharmaceutical Research. Vol 3 (1), 1-5.

29. T. Raja et al., 2011, Development and Validation of RP-HPLC Method for the Estimation of Abacavir, Lamivudine and Zidovudine in Pharmaceutical Dosage Form. International Journal of PharmTech Research. Vol. 3 (2) 852-857.

30. S. N. Alvi et al., 2011, Validated HPLC Method for Determination of Caffeine Level in Human Plasma using Synthetic Plasma: Application to Bioavailability Studies. Journal of Chromatographic Science, Vol. 49, April 2011, 292-296.

31. A. Suneetha et al., 2010, A Validated RP HPLC Method for Estimation of Almotriptan Malate in Pharmaceutical Dosage Form. Journal of the Chinese Chemical Society, Vol. 57, 1067-1070.

32. V.P. Koteswara Rao, et al., 2011, RP-HPLC method for the simultaneous estimation of Emitracitabine, Tenofovir and Efavirenz in pharmaceutical dosage form. Journal of Global Trends in Pharmaceutical Sciences. Vol.2 (2), 177-186.

33. G Bahrami, et al., 2008, Determination of oseltamivir carboxylic acid in human serum by solid phase extraction and high performance liquid chromatography with UV detection. Journal of Chromatography B, Vol. 864, 38–42.

34. S S. Panda, et al, 2009, Stability Indicating Ion-Pair Rp-Hplc Method For Estimation Of Tenofovir Disoproxil Fumarate In Tablet Dosage Forms. International Journal of Pharma Research and Development. Vol. 10, IJPRD/2009/PUB/ARTI/VOV-1/ISSUE-10/DEC/007.

35. K Pradeep, et al., 2011, Validated HPTLC Method for the Determination of Tenofovir as Bulk Drug and in Pharmaceutical Dosage Form. Research Journal of Chemical Sciences. Vol. 1(7), 33-37.

36. CH Venkat Reddiah, et al., 2012, Development and Validation of Stability Indicating HPLC Method for Combination Tablet Dosage Form of Efavirenz, Lamivudine and Tenofovir in Tablet. International Journal of Pharmaceutical and Phytopharmacological Research. Vol 2(1): 40-45.

37. RB. Singh, et al., 2012, Method Development and Validation of RP- HPLC in the Application of in-Vitro Dissolution Study of Emtricitabine in bulk drug and tablet Formulation. International Research Journal of Pharmacy. Vol. 3 (2) 243-247.

38. R Prasanna et al., 2010. Method development and validation for the determination of lumefantrine in sold dosage form by RP-HPLC. International Journal of Pharma Research and Development. IJPRD/2010/PUB/ARTI/VOV-2/ISSUE-8/OCT/014.

39. E U. Stolarczyk, et al., 2007. GC Method For Quantitative Determination Of Residual 2-(2-Chloroethoxy)Ethanol (Cee) And N-Methyl-2-Pyrrolidinone (Nmp) In Quetiapine. Acta Poloniae Pharmaceutica ñ Drug Research, Vol. 64 No. 2 pp. 187-189, 2007.

40. M.A.A. Mohammad, et al., 2012 Development and validation of a reversed-phase column liquid chromatographic method for simultaneous determination of two novel gliptins in their binary mixtures with Metformin. European Journal of Chemistry, Vol. 3 (2) 152-155.